

*Назаров Ф.,т.ф.н, катта ўқитувчи
ЖизПИ “Энергетика” кафедраси*

БИОМАССА ЭНЕРГИЯСИДАН САМАРАЛИ ФОЙДАЛАНИШНИ ТАДҚИҚ ҚИЛИШ

Аннотация: Чиринди энергиясидан самарали фойдаланишни тадқиқ қилиш ушбу жараёнлар натижасида биогаз (метан ва карбонат ангидрид), органик кислоталар, спиртлар ва асетон олинади.

Юқори намлик (чиқинди сув, маиший чиқиндилар, органик қолдиқларни гидролизлаш маҳсулотлари) бўлган биомасса биологик жараёнлар билан қайта ишланади: анаероб ҳазм қилиш ва ферментация.

Калит сўзлар: Энергия тежаши, энергия самарадорлиги, энергетик тежамкорлик, ишончли фаолият, энергия сарфи, қайта тикланувчи энергия манбалари.

Nazarov Furkat

PhD, Senior Lecturer, Department of

" Energy and electrical technology"

Djizakh polytechnical Institute

RESEARCH ON THE EFFICIENT USE OF BIOMASS ENERGY

Abstract: Research on the efficient use of biomass energy As a result of these processes, biogas (methane and carbon dioxide), organic acids, alcohols and acetone are obtained. Biomass with high humidity (waste water, household waste, organic residue hydrolysis products) is processed by biological processes: anaerobic digestion and fermentation.

Keywords: energy saving, energy efficiency, energy saving, reliable activity, energy consumption, renewable energy sources.

Юқори намлик (чиқинди сув, маиший чиқиндилар, органик қолдиқларни гидролизлаш маҳсулотлари) бўлган биомасса биологик жараёнлар билан қайта ишланади: анаэроб ҳазм қилиш ва ферментация. Ушбу жараёнлар натижасида биогаз (метан ва карбонат ангидрид), органик кислоталар, спиртлар ва асетон олинади. Намликка қараб, биомасса термохимёвий ёки биологик усуллар билан қайта ишланади. Намлиги паст бўлган биомасса (қишлоқ хўжалиги ва шаҳар қаттиқ чиқиндилари) термохимёвий жараёнлар билан қайта ишланади: тўғридан-тўғри ёниш, пиролиз (термал парчаланиш), суюлтириш, гидролиз. Натижада сув буғлари, электр энергияси, ёқилғи газы, водород, суюқ ёқилғи, кўмир, глюкоза олинади.

Биоэнергия - бу "биомасса энергияси, биогаз ва биомассани қайта ишлаш маҳсулотларини бошқа энергия турларига айлантириш."

Биомасса ердаги қайта тикланадиган энергиянинг энг истиқболли манбаларидан биридир. Бу ҳақиқатга биомассанинг муҳим энергия салоҳияти ва бу энергия манбасининг нисбатан оддий янгилашиши каби ўзига хос хусусиятлари ёрдам беради. Бундан ташқари, ушбу турдаги ёқилғини ишлаб чиқариш ва улардан фойдаланиш катта молиявий инвестицияларни талаб қилмайди.

"Биомасса" атамаси ўсимлик ва ҳайвонот манбаларидан барча қайта ишланадиган органик моддаларни бирлаштиради. Биомасса бирламчи (ўсимликлар ,ҳайвонлар, микроорганизмлар ва бошқаларга бўлинади.) ва иккиламчи (бирламчи биомасса ва одамлар ва ҳайвонларнинг чиқиндиларини қайта ишлаш чиқиндилари). Биоёқилғининг уч тури мавжуд: суюқ (етанол, метанол, биодизел), қаттиқ (ўтин, сомон) ва газсимон (биогаз, водород).

Биомассадан энергия ишлаб чиқариш дунёнинг кўплаб мамлакатларида энг жадал ривожланаётган тармоқлардан биридир.

Биомассадан энергиядан фойдаланишнинг энг истиқболли йўналишларидан бири ундан биогаз ишлаб чиқаришдир. Биогаз қурилмалари

ва қурилмалари Россиянинг исталган минтақаларида куннинг исталган вақтида, органик чиқиндилар ва энергия биомассаси мавжуд бўлган деярли ҳамма жойда ишлаши мумкин.

Гўнгдан биогазни енг самарали ишлаб чиқариш. Унинг бир тоннасидан 10-12 м³ метан олиш мумкин. Дала деҳқончилигидан 100 million тонна донли сомон каби чиқиндиларни қайта ишлаш 20 миллиардга яқин маблағни бериши мумкин. м³ метан. Пахта етиштириладиган худудларда йилига 8-9 million тонна пахта пояси қолади, ундан 2 миллиардгача пахта олиш мумкин. м³ метан. Худди шу мақсадлар учун маданий ўсимликлар ва ўтларнинг тепаларини йўқ қилиш мумкин.

Россияда ҳар йили Халқ хўжалигининг турли соҳаларида 300 million тоннагача (қуруқ моддалар) ишлаб чиқарилади, шундан: қишлоқ хўжалигида 230 million тонна – чорвачилик ва паррандачиликда 130 million тонна ва ўсимликчиликда 100 million тонна; шаҳарларда – 70 million тонна: 60 million тонна қишлоқ хўжалиги ишлаб чиқаришида. қаттиқ маиший чиқиндилар ва 10 million тонна канализация лойи. Белгиланган миқдордаги чиқиндиларнинг энергия салоҳияти 190 million тонна кубни ташкил қилади.t., ҳақиқатан ҳам 45 million тоннагача су олиш мумкин. Биомассадан энергия олиш технологияларидан фойдаланиш учун энергия ишлаб чиқаришнинг хом ашё манбасига яқинлиги зарур ("ноанъанавий биомасса" учун бу қишлоқ хўжалиги корхоналари, фермер хўжаликлари), бу сизга нисбатан арзон энергиянинг мақбул миқдорини олиш имконини беради. Россияда чернозем вилояти, Krasnodar ўлкаси, Марказий Россия ва Жанубий Сибирда биомассадан энергия ишлаб чиқаришни ташкил етиш мақсадга мувофиқдир.

Геотермик энергия - бу " геотермик сувларнинг энергиясини бошқа энергия турларига айлантириш."Геотермал манбалар деярли битмас-туганмас ва олинган энергия миқдори бўйича юқори даражада башорат қилиш қобилиятига ега.

Халқаро энергетика агентлиги таснифига кўра геотермал энергия манбалари 5 турга бўлинади :

1. геотермик қуруқ буг ь конлари;
2. нам буг ь манбалари (иссиқ сув ва буг ь аралашмалари);
3. геотермик сув конлари (иссиқ сув ёки буг ь ва сувни ўз ичига олади);
4. магма билан иситиладиган қуруқ иссиқ тошлар;
5. магма, қайси ериган жинслар ҳисобланади.

Сув, буг ёки уларнинг аралашмасининг ҳароратига қараб, геотермик манбалар паст ҳароратли ва ўрта ҳароратга (130-150 гача) ва юқори ҳароратга (150 дан ортиқ) бўлинади. Геотермик манбанинг ҳарорати асосан уни ишлатиш хусусиятини белгилайди.

Геотермал энергиядан фойдаланиш бир қатор аниқ афзалликларга ега:

1. ушбу турдаги энергия захиралари деярли тугамайди;
2. геотермик энергия жуда кенг тарқалган;
3. геотермал энергиядан фойдаланиш катта харажатларни талаб қилмайди.

Бироқ, шу билан бирга, геотермал энергия иккита муҳим камчиликка ега:

1. унинг манбасида геотермал энергиянинг заиф концентрацияси;
2. буг захарли газларни ўз ичига олади ва сув олтингугурт ва бошқа аралашмаларни ташийди.

Россияда геотермал энергия потенциал фойдаланиш бўйича биринчи ўринда туради. Россияда ушбу турдаги энергиянинг умумий захиралари 2000 Мвт га баҳоланмоқда.

Адабиётлар

1. Khasanov M. et al. Optimal radial distribution network reconfiguration to minimize power loss by using mayfly algorithm //AIP Conference Proceedings. – AIP Publishing, 2023. – Т. 2612. – №. 1.
2. Hasanov M., Urinboy J. Reconfiguration of Radial Distribution System to Minimize Active Power Loss //International Journal of Engineering and Information Systems (IJEAIS). – 2021. – Т. 5. – №. 2. – С. 154-156.
3. Jalilov O.A. ТЎЛҚИНЛИ ЭЛЕКТР СТАНЦИЯЛАР // Экономика и

- социум. 2024. №5-2 (120). URL: <https://cyberleninka.ru/article/n/t-l-inli-elektr-stantsiyalar> (дата обращения: 21.09.2024).
4. Jalilov O.A. ЎЗБЕКИСТОН РЕСПУБЛИКАСИДА МУҚОБИЛ ЭНЕРГЕТИКА ТИЗИМИНИНГ РЎЛИ ВА АУДИТИ // Экономика и социум. 2024. №5-2 (120). URL: <https://cyberleninka.ru/article/n/zbekiston-respublikasida-mu-obil-energetika-tizimining-r-li-va-auditi> (дата обращения: 21.09.2024).
 5. Жалилов Ў. А. Ў. и др. ЭЛЕКТР ЭНЕРГИЯ СИФАТ КЎРСАТКИЧЛАРИ ВА УЛАРНИ ОШИРИШ ЧОРА-ТАДБИРЛАРИ // Academic research in educational sciences. – 2021. – Т. 2. – №. 4. – С. 113-118.
 6. Жуманов А. Н. и др. МУҚОБИЛ ЭНЕРГИЯ МАНБАЛАРИДАН ЖИЗЗАХ ВИЛОЯТИНИНГ ТОҒЛИ ХУДУДЛАРИДА ФОЙДАЛАНИШ // Academic research in educational sciences. – 2021. – Т. 2. – №. 5. – С. 247-254.
 7. Жалилов Ў.А., Jalilov O.A. ҚЎЛЛАНИЛАДИГАН ИСТИҚБОЛЛИ ЭНЕРГИЯ ЗАХИРАЛАШ ҚУРИЛМАЛАРИНИ ЎҚИТИШ ЖАРАЁНДАГИ ТАҲЛИЛИ // Экономика и социум. 2024. №5-2 (120). URL: <https://cyberleninka.ru/article/n/llaniladigan-isti-bolli-energiya-zahiralash-urilmalarini-itish-zharayondagi-ta-lili> (дата обращения: 21.09.2024).
 8. Qurbanov A., Baratov L., Jalilov O. SANOAT KORXONALARINING SAMARADORLIK KO'RSATKICHINI OSHIRISH MAQSADIDA ELEKTR YUKLAMALARI KARTOGRAMMASINI QURISH VA BPP NING O'RNATILISH JOYINI ANIQLASH // Interpretation and researches. – 2023. – Т. 1. – №. 6.
 9. Khasanov M. et al. Optimal allocation of distributed generation in radial distribution network for voltage stability improvement and power loss minimization // AIP conference proceedings. – AIP Publishing, 2023. – Т. 2612. – №. 1.
 10. Khasanov M. et al. Optimal Sizing and Sitting of Distributed Generation in Distribution Network considering Power Generation Uncertainty // E3S Web of Conferences. – EDP Sciences, 2023. – Т. 434. – С. 01016.
 11. Khasanov M. et al. Distribution network planning with DG units considering the network reconfiguration and reliability // E3S Web of Conferences. – EDP Sciences, 2023. – Т. 461. – С. 01053.