

THE EFFECT OF RADIATION ON THE HUMAN BODY AND ITS SOURCES

ass. Parmonov Shaxzod

Jizzakh Polytechnic Institute, Uzbekistan.

Abstract. *The effect of radiation on living nature is associated with damage to the living organism and damage to the genetic apparatus. Radiation enters the human body through the consumption of plant and animal products that contain various types of radiation. Radionuclides can accumulate mainly in different parts of the human body - thyroid, liver, bone and muscle tissue.*

Key words: *radionuclide, radiation effect, somatic effects, genetic effects, radioactive element, human organism.*

There are finite difference (deterministic) and stochastic effects. The first occurs when the number of cells that die as a result of radiation, lose their ability to reproduce or function normally, reaches a critical value, and the functions of the affected organs are significantly impaired. Table 2 shows that the function of the affected organs depends on the severity of the disorder and the size of the radiation dose [3].

The effects of radiation on humans are generally divided into two categories. These are:

- 1) Somatic (bodily) - appears in the body of a person exposed to radiation.
- 2) Genetic - is associated with damage to the genetic apparatus, manifested in subsequent generations: these are manifested in the children, grandchildren and more distant descendants of the person exposed to radiation [1,2].

1 Table.

Effects of different doses of radiation on the human body	
Dose (amount of radiation) , Gr	Cause and effect of radiation exposure

$(0.7 - 2) 10^{-3}$	Annual dose from natural sources
0.05	The maximum permissible dose of occupational radiation per year
0.1	A doubling of the probability of a gene mutation
0.25	A single dose of reasonable risk in an emergency
1.0	A dose that causes acute radiation sickness
3-5	Without treatment, 50% of those affected will die within 1-2 months due to impaired bone marrow cell function.
10 - 50	Death occurs within 1-2 weeks, mainly due to damage to the gastrointestinal tract.
100	Death occurs after a few hours or days due to damage to the central nervous system

The whole population includes not only general healthy working employees, but also all people (children, elderly, etc.) Cosmic of rays intensity of the earth magnet area is also affected does North and southern poles the equator regions than more radiation takes Sea level medium in widths space of rays equivalent dose 4-5 km high space of rays about 10 % organize does Contemporary of airplanes height in flights space radiation the sea from the level one how many ten even high will be (Fig. 1). But, from the sound fast flying on airplanes flight during of speed significant difference because of passenger less to radiation subject [4].

Radionuclides accumulate unevenly in organs. In the process of metabolism in the human body, they exchange atoms of stable elements in various cell structures, biologically active compounds, which leads to high local doses [5-8].

The effect of radiation exposure can manifest itself in a completely different place exposed to radiation. Exceeding the dose of radiation causes the body's immunity to decrease and makes it prone to various diseases. Radiation also increases the likelihood of malignant tumors [9].

Radionuclides enter the body (respiratory and digestive organs), the most strongly irradiated organs, as well as the thyroid gland and liver. The doses absorbed in them are 1-3 times higher than in other organs and tissues. According to the ability to concentrate absorbed decomposition products, the main organs can be placed in the following order [10]:

thyroid > liver > skeleton > muscles

Thus, up to 30% of absorbed decay products, mainly radioisotopes of iodine, accumulate in the thyroid gland.

According to the concentration of radionuclides, the second place after the thyroid gland is the liver. The radiation dose received by this organ mainly depends on ^{99}Mo , ^{132}Te , ^{131}I , ^{132}I , ^{140}Ba , ^{140}La radionuclides [11].

In conclusion, we can say that various radionuclides accumulate in different parts of the human body. Radionuclides accumulate mostly in the thyroid gland, liver, bones and muscles of the human body. Radionuclides enter the body mainly through consumption of irradiated plant and animal products. Changes and swellings appear in different parts of the body under the influence of radiation. Under the influence of this, the immunity of a person decreases, which leads to the appearance of various diseases, including thyroid cancer and breast cancer.

Iodine isotopes deserve special attention among man-made radionuclides. They have high biological activity, are able to actively participate in the biological cycle and move along biological chains, one of whose links can be a person.

In recent years, the processes of interaction of ionizing radiation with tissues of the human body have been studied in detail. As a result, radiation safety standards are being developed that reflect the actual radiation effects in terms of harm to human health.

References.

1. Urinboy J., Hasanov M. Improvement Performance Of Radial Distribution System By Optimal Placement Of Photovoltaic Array //International

Journal of Engineering and Information Systems (IJEAIS). – 2021. – Т. 5. – №. 2. – С. 157-159.

2. Hasanov M. et al. Optimal Integration of Photovoltaic Based DG Units in Distribution Network Considering Uncertainties //International Journal of Academic and Applied Research (IJAAR), ISSN. – 2021. – С. 2643-9603.

3. Жалилов Ў. А. Ў. и др. ЭЛЕКТР ЭНЕРГИЯ СИФАТ КЎРСАТКИЧЛАРИ ВА УЛАРНИ ОШИРИШ ЧОРА-ТАДБИРЛАРИ //Academic research in educational sciences. – 2021. – Т. 2. – №. 4. – С. 113-118.

4. Hasanov M. et al. Optimal Integration of Wind Turbine Based Dg Units in Distribution System Considering Uncertainties //Khasanov, Mansur, et al." Rider Optimization Algorithm for Optimal DG Allocation in Radial Distribution Network." 2020 2nd International Conference on Smart Power & Internet Energy Systems (SPIES). IEEE. – 2020. – С. 157-159.

5. Hasanov M. et al. Optimal Integration of Photovoltaic Based DG Units in Distribution Network Considering Uncertainties //International Journal of Academic and Applied Research (IJAAR), ISSN. – 2021. – С. 2643-9603.

6. Kurbanov A. et al. An Appropriate Wind Model for The Reliability Assessment of Incorporated Wind Power in Power Generation System //E3S Web of Conferences. – EDP Sciences, 2021. – Т. 264. – С. 04083.

7. Джуманов А. Н. и др. ИЗМЕРИТЕЛЬНЫЕ ТРАНСФОРМАТОРЫ ТОКА //World science: problems and innovations. – 2021. – С. 76-78.

8. Mamasaliev O. Theoretical Foundations of Energy Saving //International Journal of Engineering and Information Systems (IJEAIS) ISSN. – 2021. – С. 293-296.

9. Tanirbergenov R., Suyarov A., Urinboy J. Application of Solar and Wind Units as Primary Energy Sources in Autonomous Networks //International Journal of Advanced Research in Science, Engineering and Technology. – 2020. – Т. 7. – №. 9.

10. Hasanov M. et al. Optimal Integration of Wind Turbine Based Dg Units in Distribution System Considering Uncertainties //Khasanov, Mansur, et al." Rider Optimization Algorithm for Optimal DG Allocation in Radial Distribution Network." 2020 2nd International Conference on Smart Power & Internet Energy Systems (SPIES). IEEE. – 2020. – С. 157-159.

11. Jalilov U.A. et al. Atom Search Optimization Algorithm for Allocating Distributed Generators in Radial Distribution Systems //E3S Web of Conferences. – EDP Sciences, 2021. – Т. 264. – С. 04084.

12. Qurbonov A., Qurbonova B. INSON VA UNING HAYOTIDA RADIATSIYANING TUTGAN O'RNI //Физико-технологического образование. – 2021. – Т. 4. – №. 4.
13. Barno K. ELECTRONIC ELEMENTS IN THE USE OF SOLAR ENERGY //International journal of scientific researchers (IJSR) INDEXING. – 2024. – Т. 5. – №. 2. – С. 343-347.
14. Barno K. ANALYSIS OF SOLAR THERMAL AND PHOTOVOLTAIC SYSTEMS //Yangi O'zbekiston taraqqiyotida tadqiqotlarni o'rni va rivojlanish omillari. – 2024. – Т. 7. – №. 3. – С. 249-258.